

Type	Hits	Search Text	DBs	Time Stamp
1 IS&R	7	(("5642196") or ("5473432") or ("5610716") or ("5633712") or ("5646734") or ("5642196") or ("5731876") or ("5850287")).PN.	USPAT	2003/05/06 13:27
2 BRS	7	5473432.uref	USPAT	2003/05/06 12:34
3 BRS	2053	measur\$3 near gap	USPAT	2003/05/15 15:06
4 BRS	862	(measur\$3 near gap) and light	USPAT	2003/05/06 09:38
5 BRS	453	((measur\$3 near gap) and light) and reflect\$3	USPAT	2003/05/15 13:42
6 BRS	81	((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))	USPAT	2003/05/06 11:56
7 BRS	45	((measur\$3 near gap) and light) and subtract	USPAT	2003/05/06 11:57
8 BRS	41	((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))	USPAT	2004/06/19 20:46
9 BRS	16	4070116.uref	USPAT	2003/05/06 12:26
10 BRS	2	5633712.uref	USPAT	2003/05/06 12:32
11 BRS	4	5731876.uref	USPAT	2003/05/06 12:35
12 BRS	0	5731876.uref and subtract\$3	USPAT	2003/05/06 12:35
13 BRS	4308	measur\$3 near gap	USPAT; EPO; JPO; DERWENT	2003/05/06 12:37
14 BRS	3836	(measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))))	USPAT; EPO; JPO; DERWENT	2003/05/06 12:38
15 BRS	4186	(measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))))	USPAT; EPO; JPO; DERWENT	2004/06/19 20:45
16 BRS	248	((measur\$3 near gap) and light) and reflect\$3 and (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))) and subtract\$3	USPAT; EPO; JPO; DERWENT	2003/05/06 12:39

Type	Hits	Search Text	DBs	Time Stamp
17	BRS 97	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (slot or cavity)))) and subtract\$3) and reflect\$3	USPAT; EPO; JPO; DERWENT	2003/05/06 12:40
18	BRS 18	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3) and reflect\$3) and micron\$1	USPAT; EPO; JPO; DERWENT	2003/05/06 12:47
19	BRS 79	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3) and reflect\$3) not (((((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3) and reflect\$3) and micron\$1	USPAT; EPO; JPO; DERWENT	2003/05/06 12:47
20	BRS 335	356\$ccls. and reflectometry	USPAT	2003/05/06 13:27
21	BRS 58	(356\$ccls. and reflectometry) and (measur\$3 near (gap or thickness))	USPAT	2003/05/06 16:14
22	BRS 866	356\$630,632,635,626,625\$ccls.	USPAT	2003/05/06 16:14
23	BRS 1099	250/559.24,559.26,559.27,559.4\$ccls.	USPAT	2003/05/06 16:18
24	BRS 123	356\$630,632,635,626,625\$ccls. and 250/559.24,559.26,559.27,559.4\$ccls.	USPAT	2004/06/19 20:44
25	BRS 1842	356\$630,632,635,626,625\$ccls. or 250/559.24,559.26,559.27,559.4\$ccls.	USPAT	2003/05/06 16:24
26	BRS 890	(356\$630,632,635,626,625\$ccls. or 250/559.24,559.26,559.27,559.4\$ccls.) and (thickness or gap)	USPAT	2003/05/06 16:24
27	BRS 168	((356\$630,632,635,626,625\$ccls. or 250/559.24,559.26,559.27,559.4\$ccls.) and (thickness or gap)) and subtract\$3	USPAT	2004/06/19 20:45

Type	Hits	Search Text	DBs	Time Stamp
28	BRS	107 cell adj gap same measurement	USPAT	2003/05/15 14:52
29	BRS	4339 measur\$3 near gap	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:07
30	BRS	1264 (measur\$3 near gap) and light	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:08
31	BRS	369 ((measur\$3 near gap) and light) and (slot or hole or recess)	USPAT; EPO; JPO, DERWENT; IBM_TDB	2003/05/15 15:09
32	BRS	367 (((measur\$3 near gap) and light) and (slot or hole or recess)) and @ad<20011019	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:03
33	BRS	0 "20030035117"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:04
34	IS&R	0 ("20030035117").PN.	USPAT	2003/05/16 11:03
35	IS&R	0 ("/*20030035117*").PN.	USPAT	2003/05/16 11:03
36	BRS	1 "20030035117"	US-PGPUB	2004/06/18 13:57
37	IS&R	1 ("5233291").PN	USPAT	2004/06/18 13:57
38	BRS	138 356/630,632,635,626,625.ccls. and 250/559/24,559/26,559/27,559/4.ccls.	USPAT; US-PGPUB	2004/06/19 20:44
39	BRS	2178 356/630,632,635,626,625.ccls. or 250/559/24,559/26,559/27,559/4.ccls.	USPAT; US-PGPUB	2004/06/19 20:44
40	BRS	225 ((356/630,632,635,626,625.ccls. or 250/559/24,559/26,559/27,559/4.ccls.) and (thickness or gap)) and substrac\$3	USPAT; US-PGPUB	2004/06/19 20:45
41	BRS	2578 ((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))	USPAT; US-PGPUB	2004/06/19 20:46
42	BRS	0 ((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))) and (((measur\$3 near gap) and light) and subtract) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))	USPAT	2004/06/19 20:46

Type	Hits	Search Text	DBs	Time Stamp
43	BRS 0	((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))) and (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))	USPAT; US-PGPUB	2004/06/19 20:48
44	BRS 2162	((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019	USPAT; US-PGPUB	2004/06/19 20:48
45	BRS 203	((((356/630,632,635,626,625.ccls. or 250/559.24,559.26,559.27,559.4.ccls.) and (thickness or gap)) and subtract\$3) and @ad<=20011019	USPAT; US-PGPUB	2004/06/19 20:49
46	BRS 43	((((356/630,632,635,626,625.ccls. or 250/559.24,559.26,559.27,559.4.ccls.) and (thickness or gap)) and subtract\$3) and @ad<=20011019) and (distance near measur\$5)	USPAT; US-PGPUB	2004/06/19 20:51
47	BRS 360	((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019) and (distance near measur\$5)	USPAT; US-PGPUB	2004/06/19 20:52
48	BRS 517	((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019) and (slot or recess)	USPAT; US-PGPUB	2004/06/19 20:54

Type	Hits	Search Text	DBs	Time Stamp	
49	BRS	77	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019) and (distance near measur\$5)) and (slot or recess)	USPAT, US-PGPUB	2004/06/19 20:55
50	BRS	152	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019) and (slot or recess)) and offset\$4 ((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019) and (slot or recess)) and offset\$4) not (((((measur\$3 near gap) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019) and (distance near measur\$5)) and (slot or recess)) and offset\$4)	USPAT, US-PGPUB	2004/06/19 20:55
51	BRS	125	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and @ad<=20011019) and (distance near measur\$5)) and (slot or recess)) and offset\$4)	USPAT, US-PGPUB	2004/06/19 20:55
52	IS&R	4	((("5,473,432") or ("5,610,716") or ("5,633,712") or ("5,542196") or ("6,646,734") or ("5,731876") or ("5,851287")).PN	USPAT	2004/06/19 21:04
53	IS&R	7	((("54,73432") or ("5610716") or ("5633712") or ("5542196") or ("6646734") or ("5731876") or ("5851287")).PN	USPAT	2004/06/19 21:06
54	IS&R	7	((("54,73432") or ("5610716") or ("5633712") or ("5642196") or ("6646734") or ("5731876") or ("5850287")).PN	USPAT	2004/06/19 21:07